

TENNIS COURT PAINT

Premium Quality Tennis Court Dressing

TECHNICAL DATA SHEET

PRODUCT DESCRIPTION

PCMN Tennis court paint is a water-based product designed for use on sports surfaces indoors and outdoors. It is highly resistant and skid free. Can also be used for school recreational areas and playgrounds. Can be applied on porous concrete, asphalt and cement.

INTENDED USES

Formulated for use on indoors and outdoors tennis court surfaces, indoor gym flooring, playground area, school recreational area or netball surfaces.

PRODUCT INFORMATION

Colour Red, white & Green

Gloss level Matt
Volume Solids 65%
Theoretical Coverage 8.0m²/litre

Drying Time @ 25°C (77°F)

Touch Dry: 20-30 mins Hard Dry: 2-3 Hours

Shelf Life Up to 12 months

Thinner Water **pH** 7.5 – 9.0

SURFACE PREPARATION

Allow all new surfaces to dry out completely. Remove all loose or defective paint or powdery residues by thorough brushing and scraping using a stiff fibre brush. All minor defects including larger holes and cracks should be repaired with a mixture of sand and cement. All repaired areas should be watered generously and then the Court should be left for a couple of weeks for complete evaporation of moisture. Make sure there is no appearance of salts on the surface. Treat any areas affected by mould lichens, algae and moss with Bleach. The surface should be rubbed down thoroughly using a suitable abrasive paper and dusted off. The coating should not be exposed to oil, chemicals, or mechanical stress until fully dried.



TENNIS COURT PAINT

Premium Quality Tennis Court Dressing

APPLICATION

Mixing Stir thoroughly with an agitator before use

Working Pot Life N/A
Thinner / Cleaner Water

Work Stoppages All unused materials should be stored in tightly closed containers.

PRODUCT CHARARCTERISTICS Resistant to water and abrasion. No unpleasant odour, easy to apply,

matt and anti-slip finish. Renews and enhances the appearance of the

surface.

HAZARD IDENTIFICATION

Main Hazard No significant hazard.

HANDLING AND STORAGE

Handling Requirements Ensure there is sufficient ventilation of the area.

DO NOT handle in confined space

Storage Conditions Store in a cool, well-ventilated area.

Keep container tightly closed.

Suitable Packaging Must be kept in its original package only.

DISPOSAL CONSIDERATION

Disposal of packaging Arrange for collection by specialized disposal company.

NB: The user's attention is drawn to the possible existence of regional

or national regulations regarding disposal.

Company Disclaimer: The information contained in the technical data sheet is believed to be accurate and true at the date of issuance but are subject to change without prior notice. We guarantee our product to conform to the specifications contained herein, however we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and liability (if any) resulting from its use is limited to replacement of the product.

CORPORATE OFFICE & SHOWROOM | No 8A, Adetokunbo Ademola Street, Victoria Island, Lagos, Nigeria HEAD OFFICE & FACTORY | 18/24 Ajisegiri Street, Ladipo-Shogunle, Lagos, Nigeria PORT HARCOURT | 99 Rivoc Road, Trans Amadi, Port Harcourt, Nigeria

TEL +234 906 000 9502 TEL +234 1 342 9083 TEL +234 803 960 4969



TENNIS COURT PAINT

Premium Quality Tennis Court Dressing

Version 3 – March 2022